

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : CIP 100™ - Alkaline Process and Research Cleaner  
Product code: : 1D10

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Industrial/Professional use spec : Product for industrial use only  
Use of the substance/mixture : Alkaline Process and Research Cleaner

**1.2.2. Uses advised against**

No additional information available.

**1.3. Details of the supplier of the safety data sheet**

Manufacturer:

STERIS Corporation  
P. O. Box 147, St. Louis, MO 63166, US  
Telephone Number for Information: 1-800-444-9009 (Customer Service-Scientific Products)  
US Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)

Supplier:

Allied Scientific Products Pty Ltd.  
89 McClure Road  
Kensington VIC 3031  
Australia  
Telephone: +61 1300 244 724

Level 26  
HSBC Tower  
188 Quay Street  
Auckland 1010  
New Zealand  
Tel: +61 1300 244 724

**1.4. Emergency telephone number**

Emergency number : 1 800 429 551 (24 hours) Australia  
+61 1300 244 724 (New Zealand)  
1-703-741-5970 (CHEMTREC International)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

**Classification according to NOHSC :**

Hazardous Substance. Dangerous Goods.

**New Zealand – This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017 :**

6.1D (oral)	H302	Harmful if swallowed
8.1A	H290	May be corrosive to metals
8.2B	H314	Causes sever skin burns and eye damage
8.3A	H318	Causes serious eye damage
9.1D	H402	Harmful to aquatic life
9.3C	H433	Harmful to terrestrial vertebrates

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Acute Tox. 4 (Oral)	H302
Skin Corr. 1A	H314
Eye Dam. 1	H318

Full text of H-phrases: See Section 16.

**Adverse physicochemical, human health and environmental effects**

No additional information available.

# CIP 100™


## Alkaline Process and Research Cleaner

### Safety Data Sheet

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage/irritation

Precautionary statements (CLP) :

P260 - Do not breathe mist, dust, vapours  
P264 - Wash hands thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P280 - Wear protective gloves/protective clothing and eye/face protection  
P301+P312 - If swallowed, call a doctor if you feel unwell  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician if you feel unwell (show the label where possible).  
P330 - Rinse mouth  
P363 - Wash contaminated clothing before reuse.

#### 2.3. Other hazards

No additional information available.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable.

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxide	(CAS No) 1310-58-3 (EC no) 215-181-3 (EC index no) 019-002-00-8 (REACH no) 01-2119487136-33-0057	10 - 30	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Tetrasodium EDTA	(CAS No) 64-02-8 (EC no) 200-573-9 (EC index no) 607-428-00-2 (REACH no) 01-2119486762-27-0018	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Other Non-Hazardous Components	NA	Up to 100%	NA

Full text of H-phrases: See Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove patient to fresh air and keep at rest in a position comfortable for breathing. Immediately get medical attention. If not breathing, give artificial respiration.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In all cases of doubt, or when symptoms persist, seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Give water to drink if victim completely conscious/alert. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after skin contact	: Severe skin irritant. Effects of skin contact may include: irritation and burn feeling.

# CIP 100™

## Alkaline Process and Research Cleaner

### Safety Data Sheet

Symptoms/injuries after eye contact	: Causes serious eye damage. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness.
Symptoms/injuries after ingestion	: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Thermal decomposition generates: Fume. Carbon monoxide. Carbon dioxide.
--	---

#### 5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protective equipment for firefighters	: Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus.
Other information	: Do not mix with: Chlorinated products as this could liberate toxic corrosive chlorine gas.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Do not breathe fumes, vapours. Stop leak if safe to do so. Avoid contact with skin, eyes and clothes.
------------------	---

##### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing. Wear protective gloves and eye/face protection. Boots.
Emergency procedures	: Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Neutralise spill carefully with any weak acid and flush remainder with plenty of water. Collect spillage. Store away from other materials. Local authorities should be advised if significant spillages cannot be contained.
-------------------------	--

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Product for industrial use only. Provide good ventilation in process area to prevent formation of vapour. Keep container tightly closed to avoid moisture absorption and contamination. Do not breathe gas, fumes, vapour or spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Never return unused material to original container.
Hygiene measures	: Wash hands thoroughly after handling. Take care for general good hygiene and housekeeping. Do not eat, drink or smoke when using this product. Wash contaminated clothing prior to re-use. Separate working clothes from town clothes. Launder separately.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Comply with applicable regulations. A washing facility/water for eye and skin cleaning purposes should be present. Provide adequate ventilation.
Storage conditions	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
Incompatible materials	: Acids. Oxidizing agents. Organic compounds. Halogenated compounds. Chromium. Magnesium. Zinc. On contact with ordinary metals (steel, galvanized, aluminium) corrosion may occur and generate highly flammable hydrogen gas.
Heat and ignition sources	: Store away from excessive heat. Remove all sources of ignition.
Storage area	: Store in dry, cool, well-ventilated area.

# CIP 100™

## Alkaline Process and Research Cleaner

### Safety Data Sheet

Special rules on packaging : Correctly labelled.

#### 7.3. Specific end use(s)

No additional information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Potassium hydroxide (1310-58-3)		
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
New Zealand	WES (mg/m <sup>3</sup> )	2mg/3m <sup>3</sup> (ceiling)

Tetra-sodium Ethylenediamine Tetraacetate (64-02-8)		
New Zealand	WES (Data unavailable)	Data unavailable

Ingredients not contributing to HSNO classes (mixture)		
New Zealand	WES (Data unavailable)	Data unavailable

Total dust (nuisance)		
New Zealand	WES (mg/kg)	10 mg/kg

#### 8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Local exhaust ventilation is recommended to maintain vapour level below the threshold limit value (TLV). Ensure adequate ventilation.

Personal protective equipment : Avoid all unnecessary exposure. Personal protective equipment should be selected based upon the conditions under which this product is handled or used. Protective clothing. Gloves. Protective goggles.



Hand protection : Wear protective gloves, rubber or plastic gloves.

Eye protection : Wear chemical goggles or face shield.

Skin and body protection : Wear suitable protective clothing. Rubber apron, boots.

Respiratory protection : Work in well-ventilated zones or use proper respiratory protection. Wear appropriate mask.

Environmental exposure controls : Avoid discharge to the environment.

Other information : Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear
Colour	: Clear to pale straw
Odour	: Slight chemical odour
Odour threshold	: No data available
pH	: > 13 (concentrate)
pH solution	: 12,3 - 12,8 (1% solution)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >206°F (96.7°C)
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available

# CIP 100™

## Alkaline Process and Research Cleaner

### Safety Data Sheet

Density	: ca. 1,27 g/ml Specific Gravity
Solubility	: Water: Completely soluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available.

#### 9.2. Other information

No additional information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4. Conditions to avoid

Incompatible materials. Keep away from heat. Direct sunlight.

#### 10.5. Incompatible materials

On contact with ordinary metals (steel, galvanized, aluminium) corrosion may occur and generate highly flammable hydrogen gas. Acids. Oxidizing agent. Organic materials. Halogenated compounds. Magnesium. Zinc. Chromium.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

CIP 100™ - Alkaline Process and Research Cleaner	
LD50 oral rat	860 mg/kg
Tetrasodium EDTA (64-02-8)	
ATE (oral)	500,000 mg/kg bodyweight
Potassium hydroxide (1310-58-3)	
LD50 oral rat	214 mg/kg
ATE (oral)	500,000 mg/kg bodyweight

Skin corrosion/irritation	: Causes severe skin burns pH: > 13 (concentrate)
Serious eye damage/irritation	: Causes severe eye damage pH: > 13 (concentrate)
Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met

# CIP 100™

## Alkaline Process and Research Cleaner

### Safety Data Sheet

Potential Adverse human health effects and symptoms : Not classified  
Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

##### 12.1. Toxicity

###### CIP 100™ - Alkaline Process and Research Cleaner

LC50 fishes 1 > 750 mg/l ( 10% Solution)

###### Tetrasodium EDTA (64-02-8)

LC50 fishes 1 41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [Static])

EC50 Daphnia 1 610 mg/l (Exposure time: 24 h - Species: Daphnia magna)

EC50 other aquatic organisms 1 1,01 mg/l (Exposure time: 72 h - Species: Desmodemus subspicatus)

LC50 fish 2 59,8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [Static])

###### Potassium hydroxide (1310-58-3)

LC50 fishes 1 80 mg/l (Exposure time: 96 h - Species: Gambusia affinis [Static])

##### Ecotoxic

Section	Data	HSNO Classes
9.1 aquatic	US SDS does not include ecotoxicity, potassium hydroxide triggers 9.1D at this concentration (sum of 9.1D > 25%)	9.1D
9.2	No evidence of soil toxicity	NA
9.3	Potassium hydroxide is classed 9.3B, see acute toxicity, estimated LD50 ~885 mg/kg, triggers 9.3C	9.3C
9.4	No evidence of toxicity towards terrestrial invertebrates	NA

##### Composition

Ingredient/CAS #	Concentration	HSNO Classes
Potassium hydroxide (1310-58-3)	10% - 30%	6.1C (oral), 8.1A, 8.2B, 8.3A, 9.1D, 9.3B for 100%
Tetra-sodium Ethylenediamine Tetraacetate (64-02-8)	1 -5%	6.1D (oral), 6.4A, 9.3C
Ingredients not contributing to HSNO classes (Mixture)	Balance	Mixture – classification not contributing to HSNO classes

##### 12.2. Persistence and degradability

###### CIP 100™ - Alkaline Process and Research Cleaner

Persistence and degradability The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

##### 12.3. Bioaccumulative potential

###### CIP 100™ - Alkaline Process and Research Cleaner

Bioaccumulative potential Not established.

###### Potassium hydroxide (1310-58-3)

Log Pow 0,65

##### 12.4. Mobility in soil

No additional information available.

##### 12.5. Results of PBT and vPvB assessment

No additional information available.

##### 12.6. Other adverse effects

: Avoid release to the environment.

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Dispose of empty containers and wastes safely. Hazardous waste (corrosive) based on pH.

Ecology - waste materials : Avoid release to the environment.

# CIP 100™

## Alkaline Process and Research Cleaner

### Safety Data Sheet

#### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

##### 14.1. UN number

UN-No : 1814  
UN-No.(IATA) : 1814  
UN-No. (IMDG) : 1814

##### 14.2. UN proper shipping name

Proper Shipping Name : POTASSIUM HYDROXIDE SOLUTION  
Transport document description : UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, Corrosive, PG II

##### 14.3. Transport hazard class(es)

Class (UN) : 8  
Class (IATA) : 8  
Class (IMDG) : 8  
Hazard labels (UN) : 8



##### 14.4. Packing group

Packing group (UN) : II

##### 14.5. Environmental hazards


Other information : No supplementary information available.

##### 14.6. Special precautions for user

Special transport precautions : 4 x 1 gal package not approved for air shipment. Road/Rail: ADR/RID Class: UN1814, Potassium Hydroxide Solution, 8, 42(b) ADR

##### 14.6.1. Overland transport

Hazard identification number (Kemler No.) : 80  
Classification code (UN) : C5  
Orange plates :



Transport category (ADR) : 2  
Tunnel restriction code : E  
Limited quantities (ADR) : 1L  
Excepted quantities (ADR) : E2  
EAC code : 2R

##### 14.6.2. Transport by sea

No additional information available.

##### 14.6.3. Air transport

No additional information available.

##### 14.6.4. Australia

ADG/HazChem Code: 2X.

##### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.3. Australia

AICS Listed or exempt. Hazard Category : Corrosive

##### 15.1.2. EU-Regulations

No REACH Annex XVII restrictions  
Contains no REACH candidate substance.

##### 15.1.3. National regulations – New Zealand

HSNO Approval Number: HSR002526

# CIP 100™

## Alkaline Process and Research Cleaner

### Safety Data Sheet

HSNO Group Standard Name: Industrial & Institutional Cleaning Products [Corrosive] Group Standard 2017

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision Date : 3/28/2023

Sources of Key data : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

SDS EU (REACH Annex II)

*The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.*